
RETOP IS SERIES

INDOOR FIXED LED DISPLAY



Die Casting Aluminum Process



50mm thick panel with a weight of 6.5kg, less expensive to transport and effortless to install.





Conventional

IS Series

Seamless Splicing

320*160mm standard universal module, which can achieve seamless splicing and has no limitation on the size of the whole screen.



High Definition Color

Ultimate experience with high contrast & resolution.



Conventional

Retop IS Series

High Refresh Rate

Effectively reduce image flickering and jitter, reduce eye fatigue, and make users more comfortable when viewing the screen.



Energy-saving

Apply high efficiency with 90% ultra-long life power supply. Improve the utilization of electrical energy.



Noise free. Ensure you a quite operation environment.




Wide Viewing Angle 160°

IS series provide wider viewing angles and pixelperfect imagery which is a real advance over the traditional LCD and DLP video wall.



Front Maintenance

Front maintenance of the module is fast and convenient, and it can be installed on the wall to save space.



Corner Protection

Protect the four corners of the module and the cabinet from being bumped during installation and maintenance.




Express Installation

The connection piece is used to install the cabinet, which is simple and easy to operate.



640 mm



Product Specifications

Product	P1.2	P1.5	P1.8	P2	P2.5	Р3	P4
Led Type	SMD 1010 .	SMD 1010/1212	SMD 1515	SMD 1515	SMD 2020	SMD 2020	SMD 2020
Pixel Pitch(mm)	1.25	1.538	1.86	2	2.5	3.33	4
Module Size (mm)	320×160						
Cabinet Size (mm)	640×480×50						
Weight (Kg)	6.5±5%						
Brightness (Nit)	> 800						
Max Power Consumption (W/m²)	800	800	600	600	600	600	600
Avg Power Consumption (W/m²)	240	240	180	180	180	180	180
Refresh Rate (Hz)	1,920-3,840						
Gray Scale (Bit)	13-14						
Cabinet Material	Aluminum Diecasting						
Viewing Angle (H/V)	160° / 160°						
IP Rating	IP 30						
Service Ability	Front						



Applications



Home Cinema

Command Centre





Launch Event

Broadcast



Dispatch Center

Virtual Reality



Retop Led Display Co., Ltd.